

Continued Airworthiness Management under an Article 83bis Agreement - OTAR Part 39 Subpart F

**Issue 2
17 May 2013**

Effective: on issue

GENERAL

Overseas Territories Aviation Circulars are issued to provide advice, guidance and information on standards, practices and procedures necessary to support Overseas Territory Aviation Requirements. They are not in themselves law but may amplify a provision of the Air Navigation (Overseas Territories) Order or provide practical guidance on meeting a requirement contained in the Overseas Territories Aviation Requirements.

PURPOSE

This Circular provides information and guidance on meeting the requirements in OTAR Part 39 Subpart F for continued airworthiness management of Territory-registered aircraft operated under an ICAO Article 83*bis* agreement with another contracting state.

RELATED REQUIREMENTS

This Circular relates primarily to OTAR Part 39 but also deals with meeting the requirements in OTAR Parts 13, 21, 43 and 145 as they apply to aircraft subject to Part 39 Subpart F. European Aviation Safety Agency requirements in EASA Part M and its associated documents are also relevant to this OTAC.

CHANGE INFORMATION

Updated document references and compliance table against EASA amendments up to and including EC No. 593/2012.

ENQUIRIES

Enquiries regarding the content of this Circular should be addressed to Air Safety Support International at the address on the ASSI website www.airsafety.aero or to the appropriate Overseas Territory Aviation Authority.

1 Introduction

- 1.1 This Circular is designed to assist organisations to meet the requirements of OTAR Part 39 Subpart F. It provides guidance on interpreting the requirements of EASA Part M which forms the basis for compliance with OTARs and Part 39 Subpart F in particular.
- 1.2 It is applicable to an organisation responsible for airworthiness management in support of a Territory-registered aircraft operated under an ICAO Article 83bis agreement with another state. The organisation may be a holder of a foreign air operator's certificate or an organisation that has a Principal Contract with the AOC holder to perform that function on its behalf.
- 1.3 For organisations that hold an appropriate EASA Part M approval, this guidance document should assist in identifying those requirements to be met in order to comply with an OTAR Part 39 Subpart F.

2 Document references

OTAR Part 13	Occurrence Reporting
OTAR Part 21	Certification of Aircraft
OTAR Part 39	Continued Airworthiness Requirements
OTAR Part 43	General Maintenance Requirements
OTAR Part 145	Aircraft maintenance Organisation Approval

EASA Part M EC No. 2042/2003

As amended by:

EC No. 707/2006
 EC No. 376/2007
 EC No. 1056/2008
 EC No. 127/2010
 EC No. 962/2010
 EC No. 1149/2011
 EC No. 593/2012

EASA AMC Part M Decision 2003/19/RM

As amended by:

Decision 2012/004/R
 Decision 2010/006/R
 Decision 2010/002/R
 Decision 2009/006/R
 Decision 2008/013/R
 Decision 2007/001/R
 Decision 2006/014/R
 Decision 2006/011/R

3 Compliance table

The following table identifies the applicable EASA requirements and AMC material in relation to meeting the applicable requirements of OTARs in the circumstances described in Paragraph 1.

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation			
1	OTAR Part 39 Subparts B and C	M.A.201	Responsibilities	(a) 1,2,3	Applicable	201 (e)	Not applicable OTAC 39-6 applies		
				(a) 4	Applicable as varied for compliance with an OTAA approved Maintenance Programme; OTAR Part 39.61 refers.			201 (h)	1
				(b) 1,2	Applicable	2	Applicable		
				(c)	Applicable as varied by OTAR Part 39.57.	3	Applicable		
				(d)	Applicable	4	As varied by OTAC 21-1		
				(e) (i)	Applicable as varied by OTAR Part 39 Subpart F	5	Applicable		
				(e) (ii)	Not applicable: OTAR Part 39.55(j) refers.	6	for Part-145 varied by OTAR Part 145		
				(f)	Applicable as varied by OTAR Part 39.51 (c).	7	for Part-145 varied by OTAR Part 145		
				(g)	Not applicable: OTAR Part 39.57 applies.	201 (h)(1)	1		1 Not applicable OTAR 39.51(c) refers
				(h) 1,2,3	Not applicable: OTAR Part 39.51(c) applies.		2		2 Not applicable OTAR 39.53(d)
				(i)	Not Applicable		3		3 Applicable
				(j)	Applicable as varied by requirement for OTAA access.		4		4 as varied by OTAR 39.53(d)
							5	5 as varied by OTAR 39.53(d)	
		6	Applicable						
		7	Applicable						
		8	Applicable						
		9	Applicable						
		10	Applicable						
		11	Applicable						
		12	Applicable						
		13	Not applicable						
			201 (h)(2)	Not applicable					

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation	
2	OTAR Part 13 OTAC 13-1	M.A.202	Occurrence Reporting	(a)	Not applicable	202 (a)	Not applicable: OTAC 13-1 applies
				(b)	Not applicable	202 (b)	Not applicable: OTAC 13-1 applies
				(c)	Not applicable		
				(d)	Not applicable		
3	OTAR Parts 21 Subpart C 21 Subpart M 39.55 39.67 39.69	M.A.301	Continuing Airworthiness Tasks	1	Applicable	301-1	Applicable
				2	Applicable as varied by OTAR Parts 21 and 145	301-2	Applicable
				3	Applicable as varied by OTAR Part 39.55(b)	301-3	Applicable as varied by OTAC 39-6
				4	Applicable as varied by compliance with OTAR Part 39.55(j).	301-4	Applicable
				5 (i)	Applicable as varied by compliance with OTAR Part 39.67	301-5	Applicable as varied by the State of Operation requirements and OTAC 21-8
				5 (ii)	Applicable as varied by compliance with OTAR Part 39.67	301-7	Applicable
				5 (iii)	Not applicable: OTAR Part 21.19 refers		
				5 (iv)	Not applicable: OTAR Part 21.19 refers		
				6	Applicable as varied by compliance with OTAR Part 21 Subparts C and M		
				7	Applicable		
				8	Not applicable		

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation		
4	OTAR Parts 39.55 39.61	M.A.302	Aircraft Maintenance Programme	(a)	Applicable	302	1	Not applicable: OTAC 39-6 refers
				(b)	Applicable as varied by OTAR Part 39.61(b).		2	Not applicable: OTAC 39-6 refers
				(c)	Not Applicable: OTAR Part 39.61 applies.		3	Not applicable: OTAC 39-6 refers
				(c)(i)	Not applicable: OTAR Part 39.61(g) applies.		4	Not applicable: OTAC 39-6 refers
				(c)(ii)	Applicable as varied by OTAR Part 39.61.		5	Not applicable: OTAC 39-6 refers
				(d)(i)	Not applicable: OTAR Part 39.61(g) applies.	302 (a) 302 (d)	Not applicable: OTAC 39-6 refers	
				(d)(ii)	Applicable as varied by OTAR Part 39.61.		1	Not applicable: OTAC 39-6 refers
				(d)(iii)	Not applicable: OTAR Part 39.61 and 39.63 apply.		2	Not applicable: OTAC 39-6 refers
				(e)	Applicable		3	Not applicable: OTAC 39-6 refers
				(f)	Applicable		4	Not applicable: OTAC 39-6 refers
				(g)	Applicable as varied by OTAR Part 39.61.		5	Not applicable: OTAC 39-6 refers
							6	Not applicable: OTAC 39-6 refers
						302 (f)	1	Not applicable: OTAC 39-6 refers
		2	Not applicable: OTAC 39-6 refers					
		3	Not applicable: OTAC 39-6 refers					
		4	Not applicable: OTAC 39-6 refers					
		5	Not applicable: OTAC 39-6 refers					
		6	Not applicable: OTAC 39-6 refers					
5	OTAR Part 39.67 and 39.69	M.A.303	Airworthiness Directives	Not applicable: OTAR Part 39.67 and 39.69 applies		No EASA AMC		
6	OTAR Parts 21 Subpart C 21 Subpart M	M.A.304	Data for Modification and Repairs	Not applicable: OTAR Part 21 Subparts C & M applies		304	Not applicable:	

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation		
7	OTAR Part 39 Subpart D	M.A.305	Aircraft Continuing Airworthiness Record System	(a)	Applicable as varied by OTAR Part 43.105.	305 (d)	Applicable	
				(b) 1	Applicable as varied by OTAR Part 39 Subpart D		(a) Applicable	
				(b) 2	Applicable as varied by OTAR Part 39 Subpart D		(b) Applicable	
				(c)	Applicable		(c) Applicable	
				(d) 1	Applicable		(d) Applicable	
				(d) 2	Applicable		(e) Applicable	
				(d) 3	Applicable		(f) Applicable	
				(d) 4	Applicable		(g) Applicable	
				(d) 5	Applicable		(h) Applicable	
				(d) 6	Applicable		305 (h)	Applicable
				(e)	Applicable		305	Applicable
				(e) 1	Applicable		(h)(6)	
				(e) 2	Applicable			
				(e) 3	Applicable			
				(e) 4	Applicable			
				(f)	Applicable: varied only in respect that 'competent authority' should read Applicable OTAA			
				(g)	Applicable			
				(h) 1	Applicable			
				(h) 2	Not applicable: OTAR Part 39.75 applies			
				(h) 3	Not applicable: OTAR Part 39.75 applies			
				(h) 4	Not applicable: OTAR Part 39.75 applies			
				(h) 5	Not applicable: OTAR Part 39.75 applies			
				(h) 6	Not applicable: OTAR Part 39.75 applies			

UNCONTROLLED WHEN PRINTED

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation			
8	OTAR Part 39.79	M.A.306	Operator's Technical Log System	(a) 1	Applicable as varied by OTAR Part 39.79	306 (a)	Not applicable:		
				(a) 2	Applicable as varied by OTAR Part 39.79			306 (b)	Not applicable:
				(a) 3	Applicable as varied by OTAR Part 39.79				
				(a) 4	Applicable as varied by OTAR Part 39.79				
				(a) 5	Applicable as varied by OTAR Part 39.79				
				(b)	Not applicable: approval requirements NAA of the State of operator applies				
				(c)	Applicable: varied by OTAR 39.75 (a)(1)				
9	OTAR Part 39 Subpart D	M.A.307	Transfer of Aircraft CAW records	(a)	Applicable: as varied by OTAR Part 39.77	307 (a)	Not applicable:		
				(b)	Applicable: as varied by OTAR Part 39.77				
				(c)	Applicable: as varied by OTAR Part 39.77				
10	OTAR Part 39.57	M.A.401	Maintenance Data	(a)	Applicable	401 (b) 1	(a)	Applicable as varied by OTAC 145-3	
				(b) 1	Applicable as varied by the applicable NAA listed in OTAR Part 21.25(a)(1)		(b)	Applicable as varied by OTAC 145-10	
				(b) 2	Applicable		(c)	Applicable	
				(b) 3	Applicable as varied by OTAR Part 21 Subparts B, C and M		(d)	Applicable	
				(b) 4	Applicable as varied by OTAR Part 145.5	401 (c)	Applicable as varied by OTAC 145-10		
				(c)	Applicable		1	Applicable	
							2	Applicable	
							3	Applicable	
			4	Applicable					
			5	Applicable					

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation			
11	OTAR Part 39.57	M.A.402	Performance of Maintenance	(a)	Applicable as varied by OTAR part 43 Subpart C and 39.57	402 (a)	1	Applicable	
				(b)	Applicable as varied by OTAR Part 39.57		2	Not applicable	
				(c)	Applicable		3	Applicable	
				(d)	Applicable as varied by OTAR Part 145.5		4.1	Applicable	
				(e)	Applicable		4.2	Applicable	
				(f)	Applicable		4.3	Applicable	
							4.3.1	Applicable	
							4.3.2	Applicable	
							4.4	Applicable	
							4.5	Applicable as varied by OTAR 43.111	
							4.6	Applicable	
							4.7	Applicable	
							402 (b)	Applicable	
							(a)	Applicable	
		(b)	Applicable						
		(c)	Applicable						
		(d)	Applicable						
		402 (d)	Applicable						
		402 (e)	Applicable						
12	OTAR Part 39.57	M.A.403	Aircraft defects	(a)	Applicable	403 (a)	Applicable		
				(b)	Applicable as varied by OTAR Part 145.5		403 (d)	Applicable	
				(b) 1	Applicable as varied by the NAA of the State of operator				
				(b) 2	Applicable as varied by the NAA of the State of operator				
				(c)	Applicable				
				(d)	Applicable as varied the operators technical log				

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation						
13	OTAR Part 21 Subparts K & Q	M.A.501	Installation	(a)	Applicable as varied by OTAR Part 21 Subparts K & Q	501 (a)	1	Applicable				
				(b)	Applicable as varied by OTAR Part 21 Subparts K & Q		2	Applicable				
				(c)	Applicable as varied by OTAR Part 21 Subparts K & Q		3 (a)	Applicable				
				(d)	Applicable as varied by OTAR Parts 21 Subparts K & Q and 145.5		3 (b)	Applicable				
							3 (c)	Applicable				
							3 (d)	Applicable				
							4	Applicable				
							5 (a)	Applicable				
							5 (b)	Applicable				
							5 (c)	Applicable				
							5 (d)	Applicable				
							5 (e)	Applicable				
							5 (f)	Applicable				
							5 (g)	Applicable				
							5 (h)	Applicable				
							5 (i)	Applicable				
							6	Applicable				
									501 (b)	1	Applicable	
										2	Applicable	
										3	Applicable as varied by OTAR 21.303	
							501 (c)	1 (a)	Applicable			
								1 (b)	Not applicable			
								2	Applicable			
								3	Applicable			
								4	Applicable			
										501 (d)	1	Applicable
											2	Applicable
											3	Applicable
											4	Applicable
											5	Applicable
											6	Applicable

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation		
14	N/A	M.A.502	Component Maintenance	(a)	Not applicable	502	Applicable	
				(b)	Applicable			
				(c)	Not applicable			
				(d) 1	Not applicable			
				(d) 2	Not applicable			
				(e)	Applicable as varied by OTAR 145.125			
15	OTAR Part 39.55	M.A.503	Service Life Limited Components	Applicable		No AMC		
16	OTAR Part 39.59 OTAR Part 21 Subparts K & Q	M.A.504	Control of Unserviceable Components	(a) 1	Applicable	504 (a)	Applicable as varied by OTAC 145-12	
				(a) 2	Applicable			
				(a) 3	Applicable			
				(a) 4	Applicable	504 (b)	1	Applicable as varied by OTAC 145-12
				(a) 5	Applicable		2	Applicable as varied by OTAC 145-12
				(b)	Applicable		3	Applicable as varied by OTAC 145-12
				(c)	Applicable	504 (c)	1 (a)	Applicable as varied by OTAC 145-12
				(d)	Applicable as varied by OTAR 39		1 (b)	
				(d) 1	Applicable		1 (c)	
				(d) 2	applicable		1 (d)	
				(e)	Applicable as varied by OTAR 39		1 (e)	
							1 (f)	
							1 (g)	
						2		
		504 (d)(2)	1	Applicable as varied by OTAC 145-12				
			2 (a)					
			2 (b)					
			2 (c)					
			2 (d)					
			2 (e)					
			2 (f)					

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation	EASA AMC- Applicability and Variation		
						2 (g) 2 (h) 3 (a) 3 (b) 3 (c) 3 (d) 3 (e) 3 (f) 4	
					504 (e)	(a) (b) (c) (d) (e)	Applicable as varied by OTAC 145-12
17	N/A	Part M Subpart F	Maintenance Organisation	Not applicable	Not applicable		
18	OTAR Part 39 Subpart E	M.A.701	Scope	Applicable as varied by OTAR Part 39.93	No AMC		
19	N/A	M.A.702	Application	Not applicable. Arrangements established under the Article 83bis agreement or OTAR Part 39 Subpart E applies.	702	Not applicable OTAC 39-3 applies	
20	OTAR Part 39.93	M.A.703	Extent of Approval	(a) Not applicable (b) Not applicable: OTAR part 39.103 applies (c) Applicable as varied by NAA of State of operation or as applicable OTAR Part 39.93	No AMC: OTAC 39-3 applies		
21	OTAR Part 39.59	M.A.704	Continuing Airworthiness Management Exposition	(a) 1 Applicable as varied by OTAR Part 39.105 (a) 2 Applicable as varied by OTAR Part 39.105	704	1 2 3 4	Applicable as varied by OTAC 39-3 Applicable as varied by OTAC 39-3 Applicable as varied by OTAC 39-3 Applicable as varied by OTAC 39-3

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation		
				(a) 3	Applicable as varied by OTAR Part 39.105	706	5	Applicable as varied by OTAC 39-3
				(a) 4	Applicable as varied by OTAR Part 39.105		6	Applicable as varied by OTAC 39-3
				(a) 5	Applicable as varied by OTAR Part 39.105		7	Applicable as varied by OTAC 39-3
				(a) 6	Applicable as varied by OTAR Part 39.105		8	Applicable as varied by OTAC 39-3
				(a) 7	Applicable as varied by OTAR Part 39.105		9	Applicable as varied by OTAC 39-3
				(a) 8	Applicable as varied by OTAR Part 39.105		10	Applicable as varied by OTAC 39-3
				(a) 9	Applicable as varied by OTAR Part 39.105		11	Applicable as varied by OTAC 39-3
				(b)	Not applicable. NAA of State of operator or as applicable OTAR Part 39.59 (d)			
				(c)	Applicable			
22	OTAR Part 39.59 (k)	M.A.705	Facilities	Applicable			Applicable	
23	OTAR Part 39 Subpart E	M.A.706	Personnel Requirements	(a)	Applicable	706	1	Applicable
				(b)	Not applicable		2	Applicable
				(c)	Applicable		3	Applicable
				(d)	Not applicable		4.1	Applicable
				(e)	Not applicable		4.2	Applicable
				(f)	Applicable		4.3	Applicable
				(g)	Applicable excluding reference to (d).		4.4	Applicable
				(h)	Applicable		4.5	Applicable
				(i)	Not applicable		4.6	Applicable
				(j)	Applicable as varied by this section		4.7	Applicable
						4.8	Applicable	
						4.9	Applicable	

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation	EASA AMC- Applicability and Variation																																															
					<table border="1"> <tr> <td rowspan="2">706 (e)</td> <td>1</td> <td>Not applicable</td> </tr> <tr> <td>2</td> <td>Not applicable</td> </tr> <tr> <td>706 (f)</td> <td colspan="2">Applicable as varied by applicable additional airworthiness safety requirements to improve airworthiness promulgated by the applicable State of Type Certification.</td> </tr> <tr> <td>706 (i)</td> <td colspan="2">Not applicable</td> </tr> </table>	706 (e)	1	Not applicable	2	Not applicable	706 (f)	Applicable as varied by applicable additional airworthiness safety requirements to improve airworthiness promulgated by the applicable State of Type Certification.		706 (i)	Not applicable																																					
706 (e)	1	Not applicable																																																		
	2	Not applicable																																																		
706 (f)	Applicable as varied by applicable additional airworthiness safety requirements to improve airworthiness promulgated by the applicable State of Type Certification.																																																			
706 (i)	Not applicable																																																			
24	OTAR Part 39.59 (k)	M.A.707	Airworthiness Review Staff	<table border="1"> <tr> <td>(a) 1 (a)</td> <td rowspan="5">Applicable; however the approval of EASA Part M Subpart I approval is not a specific feature of OTARs. Arrangements should be made for appropriate qualified and experienced staff (that being equivalent to the Airworthiness Review Staff) to be nominated for the completion of an OTAA C of A Airworthiness Status Report and Recommendation Form commensurate with the scope of approval OTAR Part 21.175(e) refers.</td> </tr> <tr> <td>(a) 1 (b)</td> </tr> <tr> <td>(a) 1 (c)</td> </tr> <tr> <td>(a) 1 (d)</td> </tr> <tr> <td>(a) 1 (e)</td> </tr> <tr> <td>(a) 2 (a)</td> <td>Not applicable</td> </tr> <tr> <td>(a) 2 (b)</td> <td></td> </tr> <tr> <td>(a) 2 (c)</td> <td></td> </tr> <tr> <td>(a) 2 (d)</td> <td></td> </tr> <tr> <td>(a) 2 (e)</td> <td></td> </tr> <tr> <td>(b)</td> <td>Applicable as varied by applicable OTAA oversight and approval</td> </tr> <tr> <td>(c)</td> <td>Applicable</td> </tr> </table>	(a) 1 (a)	Applicable; however the approval of EASA Part M Subpart I approval is not a specific feature of OTARs. Arrangements should be made for appropriate qualified and experienced staff (that being equivalent to the Airworthiness Review Staff) to be nominated for the completion of an OTAA C of A Airworthiness Status Report and Recommendation Form commensurate with the scope of approval OTAR Part 21.175(e) refers.	(a) 1 (b)	(a) 1 (c)	(a) 1 (d)	(a) 1 (e)	(a) 2 (a)	Not applicable	(a) 2 (b)		(a) 2 (c)		(a) 2 (d)		(a) 2 (e)		(b)	Applicable as varied by applicable OTAA oversight and approval	(c)	Applicable	<table border="1"> <tr> <td rowspan="5">707 (a)</td> <td>1</td> <td>Not applicable</td> </tr> <tr> <td>2</td> <td>Applicable</td> </tr> <tr> <td>3</td> <td>Applicable</td> </tr> <tr> <td>4</td> <td>Applicable as varied by the Article 83bis agreement</td> </tr> <tr> <td>5</td> <td>Not applicable</td> </tr> <tr> <td>707 (a)(1)</td> <td colspan="2">Applicable</td> </tr> <tr> <td rowspan="2">707 (a)(2)</td> <td>1</td> <td rowspan="2">Not applicable</td> </tr> <tr> <td>2</td> </tr> <tr> <td>707 (b)</td> <td colspan="2">Not applicable</td> </tr> <tr> <td>707 (c)</td> <td colspan="2">Applicable as varied by the Article 83bis agreement</td> </tr> <tr> <td>707 (e)</td> <td colspan="2">Applicable</td> </tr> </table>	707 (a)	1	Not applicable	2	Applicable	3	Applicable	4	Applicable as varied by the Article 83bis agreement	5	Not applicable	707 (a)(1)	Applicable		707 (a)(2)	1	Not applicable	2	707 (b)	Not applicable		707 (c)	Applicable as varied by the Article 83bis agreement		707 (e)	Applicable	
(a) 1 (a)	Applicable; however the approval of EASA Part M Subpart I approval is not a specific feature of OTARs. Arrangements should be made for appropriate qualified and experienced staff (that being equivalent to the Airworthiness Review Staff) to be nominated for the completion of an OTAA C of A Airworthiness Status Report and Recommendation Form commensurate with the scope of approval OTAR Part 21.175(e) refers.																																																			
(a) 1 (b)																																																				
(a) 1 (c)																																																				
(a) 1 (d)																																																				
(a) 1 (e)																																																				
(a) 2 (a)	Not applicable																																																			
(a) 2 (b)																																																				
(a) 2 (c)																																																				
(a) 2 (d)																																																				
(a) 2 (e)																																																				
(b)	Applicable as varied by applicable OTAA oversight and approval																																																			
(c)	Applicable																																																			
707 (a)	1	Not applicable																																																		
	2	Applicable																																																		
	3	Applicable																																																		
	4	Applicable as varied by the Article 83bis agreement																																																		
	5	Not applicable																																																		
707 (a)(1)	Applicable																																																			
707 (a)(2)	1	Not applicable																																																		
	2																																																			
707 (b)	Not applicable																																																			
707 (c)	Applicable as varied by the Article 83bis agreement																																																			
707 (e)	Applicable																																																			

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation				
				(d)	Applicable					
				(e)	Applicable					
25	OTAR Part 39 Subparts B, C, D and F	M.A.708	Continuing Airworthiness Management	(a)	Applicable as varied by OTAR Part 39.105	708 (b)(3)	Applicable			
				(b) 1	Applicable		708 (c)	1	Applicable as varied by the Article 83bis agreement	
				(b) 2	Not applicable: OTAR Part 39.63 applies			2	Applicable	
				(b) 3	Applicable			3	Applicable	
				(b) 4	Applicable as varied by OTAR Part 43.105			4	Applicable as varied by the Article 83bis agreement	
				(b) 5	Applicable			5	Not applicable	
				(b) 6	Applicable			6	Not applicable	
				(b) 7	Applicable			7	Applicable as varied by the Article 83bis agreement	
				(b) 8	Applicable					
				(b) 9	Applicable					
				(b) 10	applicable					
				(c) 1	Applicable as varied by OTAR Part 39.57			708 (c)(1)	Applicable	
				(c) 2						
26	OTAR Part 39.55 (g)	M.A.709	Documentation	(a)	Applicable	709		Applicable as varied by the Article 83bis agreement		
				(b)	Not applicable					
27	OTAR Part 21 Subparts B, C and M OTAR Part 39.73	M.A.710	Airworthiness Review	(a) 1	Applicable as it relates to the process of completion of the OTAA. Airworthiness Survey Report Form for C of A OTAR Part 21.175 (e) refers.	710 (a)	1	Applicable as varied by this OTAC 39-3		
				(a) 2			2			
				(a) 3		Applicable as varied by compliance with OTAR Part 39.67.	710 (b) (c)	1	Applicable	
				(a) 4				2	Not applicable	
				(a) 5	Applicable as varied by compliance with OTAR Part 21 Subparts C and M.		3	Applicable		
				(a) 6			4	Applicable		
								710 (d)	Not applicable	
				710 (e)	Applicable					

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation			
				(a) 7	Applicable as it relates to the process of completion of the OTAA. Airworthiness Survey Report Form for C of A. OTAR Part 21.175 (e) refers.				
				(a) 8					
				(a) 9					
				(a) 10					Applicable as varied by compliance with OTAR Part 21 Subpart B.
				(b)					Applicable
				(c) 1					Applicable
				(c) 2					Applicable
				(c) 3					Applicable
				(c) 4					Applicable
				(c) 5					Applicable
				(d)					Not applicable: OTAR Part 21.181 refers.
				(e)					Not applicable: OTAR Part 21.175 (e) refers.
				(f)					Not applicable
				(g)	Applicable as varied by OTAR Part 21.175(e).				
				(h)	Not applicable as varied by OTAR Part 21.175(e)				
28	OTAR Part 39.93	M.A.711	Privileges of the Organisation	(a) 1	Applicable	711 (b)	Generally applicable; alternative arrangements must be agreed by the relevant OTAA.		
				(a) 2	Applicable				
				(a) 3	Not applicable				
				(a) 4					
				(b) 1					
				(b) 2					
				(c)	Not applicable	711 (c)	Not Applicable		
29	OTAR Part 39.59 (g)	M.A.712	Quality System	(a)	Applicable	712 (a)	1	Applicable	
				(b) 1			2		

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation		
				(b) 2	Applicable as varied by OTAR Part 39.59		3	
				(b) 3	Applicable		4	
				(c)	Not applicable		5	
				(d)	Not applicable	712 (b)	1	Applicable
				(e)	Not applicable in case of contractual arrangements for OTAR Part 39 approval		2	
				(f)	Not applicable		3	
							4	Applicable as varied by OTAR Part 21.175
							5	Applicable
							6	
							7	
							8	
							9	
						712 (f)	Not applicable	
30	OTAR Part 39.55	M.A.713	Changes to the Approved Continuing Airworthiness Organisation	1	Applicable	713	1	Applicable
				2			2	
				3				
				4				
				5				
				6				
31	OTAR Part 39 Subpart D	M.A.714	Record Keeping	(a)	Applicable as varied by OTAR Part 39 Subpart D.	714	1	Applicable as varied by OTAC 39-4
				(b)	Not applicable: OTAR 21.175(e) applies		2	
				(c)	Not Applicable		3	
				(d)	Applicable as varied by OTAR Part 39.75		4	
				(e)	Applicable		5	
				(f)	Applicable		6	
				(g)	Applicable			
				(h)	Applicable			

Line Ref	OTAR Reference	EASA Part M Reference	Title	EASA Requirement- Applicability and Variation		EASA AMC- Applicability and Variation
32	N/A	M.A.715	Continued Validity of Approval	(a) 1	Not applicable: refer to applicable Article 83bis agreement or as required OTAR Part 39 Subpart E	No AMC
				(a) 2		
				(a) 3		
				(b)		
33	N/A	M.A.716	Findings	(a)	Not applicable: responsibility of the OTAA.	No AMC
				(b)		
				(c)		